

acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 (REV 3)

### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name

Zar® Platinum Pro - Clear Coat

Alternative number(s)

168xx; UFI: ENJG-01TP-200T-0FKAA

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses paint related material

paint

Uses advised against Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

United Gilsonite Laboratories, Inc. 1396 Jefferson Avenue Dunmore PA 18509 United States

Telephone: +1 (570) 344-1202 Telefax: (570) 969-7634 e-mail: sales@ugl.com Website: http://www.ugl.com/

e-mail (competent person) Robin.Crossley@ugl.com (Robin Crossley)

1.4 Emergency telephone number

Emergency information service 1-800-424-9300 Chemtrec (NORTH AMERICA)

Emergency telephone number: outside office

hours

## **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



United States: en Page: 1 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 Replaces version of: 2023-03-20 (REV 3)

Diaces version of, 2023-03-20 (REV 3)

- Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzo-

triazol-2- yl)-5- (1,1-dimethylethyl)-4-hy-

droxyphenyl]-1-oxopropyl]-.omega.-[3-[3-(2 H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-, Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopro-

pyl]- .omega.-hydroxy-

#### 2.3 Other hazards

#### Hazards not otherwise classified

Contains 1,2-benzisothiazol-3(2H)-one, Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2- yl)-5- (1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- .omega.-[3-[3-(2 H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-, Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2- yl)-5- (1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- .omega.-hydroxy-. May produce an allergic reaction.

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

## Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Polyurethane resin	CAS No Proprietary	10 - < 25	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319

United States: en Page: 2 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 (REV 3)

Name of substance	Identifier	Wt%	Classification acc. to GHS
Poly(oxy-1,2-ethanediyl), .alpha[3- [3-(2H-benzotriazol-2- yl)-5- (1,1-di- methylethyl)-4-hydroxyphenyl]-1- oxopropyl]omega[3-[3-(2 H- benzotriazol-2-yl)-5-(1,1- dimethyl- ethyl)-4-hydroxyphenyl]-1- oxopro- poxy]-	CAS No 104810-47-1	0.05 - < 1	Skin Sens. 1 / H317 HNOC002 HNOC009
Poly(oxy-1,2-ethanediyl), .alpha[3- [3-(2H-benzotriazol-2- yl)-5- (1,1-di- methylethyl)-4-hydroxyphenyl]-1- oxopropyl]omegahydroxy-	CAS No 104810-48-2	0.05 - < 1	Skin Sens. 1 / H317 HNOC002 HNOC009
1,2-benzisothiazol-3(2H)-one	CAS No 2634-33-5	< 0.05	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317 HNOC002 HNOC005

For full text of abbreviations: see SECTION 16.

### **SECTION 4: First-aid measures**

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 3 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 Replaces version of: 2023-03-20 (REV 3)

## **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 4 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 Replaces version of: 2023-03-20 (REV 3)

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

## 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United States: en Page: 5 / 12



acc. to 29 CFR 1910.1200 App D

# Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 (REV 3)

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

## **Appearance**

Physical state	liquid
Color	clear
Particle	not relevant (liquid)
Odor	slight

## Other safety parameters

pH (value)	7 – 10 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C at 1 atm
Flash point	100 °C at 1 atm
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	not determined
Density	1.025 – 1.029 <sup>g</sup> / <sub>cm³</sub> at 25 °C
Vapor density	this information is not available
Solubility(ies)	not determined

## Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

United States: en Page: 6 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 Replaces version of: 2023-03-20 (REV 3)

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

## Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

## Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
1,2-benzisothiazol-3(2H)-one	2634-33-5	oral	670 <sup>mg</sup> / <sub>kg</sub>

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

## Reproductive toxicity

Shall not be classified as a reproductive toxicant.

United States: en Page: 7 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 (REV 3)

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzo- triazol-2- yl)-5- (1,1-di- methylethyl)-4-hy- droxyphenyl]-1-oxopro- pyl]omega[3-[3-(2 H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4-hy- droxyphenyl]-1- oxopro- poxy]-	104810-47-1	LC50	2.8 <sup>mg</sup> / <sub>I</sub>	fish	96 h
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzo- triazol-2- yl)-5- (1,1-di- methylethyl)-4-hy- droxyphenyl]-1-oxopro- pyl]omega[3-[3-(2 H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4-hy- droxyphenyl]-1- oxopro- poxy]-	104810-47-1	EC50	4 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzo- triazol-2- yl)-5- (1,1-di- methylethyl)-4-hy- droxyphenyl]-1-oxopro- pyl]omegahydroxy-	104810-48-2	LC50	2.8 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzo- triazol-2- yl)-5- (1,1-di- methylethyl)-4-hy- droxyphenyl]-1-oxopro- pyl]omegahydroxy-	104810-48-2	EC50	4 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
1,2-benzisothiazol-3(2H)- one	2634-33-5	LC50	16.7 <sup>mg</sup> / <sub>l</sub>	fish	96 h
1,2-benzisothiazol-3(2H)- one	2634-33-5	EC50	2.94 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
1,2-benzisothiazol-3(2H)- one	2634-33-5	ErC50	150 <sup>µg</sup> / <sub>l</sub>	algae	72 h

## 12.2 Persistence and degradability

Data are not available.

United States: en Page: 8 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 (REV 3) Replaces version of: 2023-03-20 (REV 3)

#### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations

**14.2 UN proper shipping name** not relevant

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

## 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

United States: en Page: 9 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 Replaces version of: 2023-03-20 (REV 3)

# International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

## Safety, health and environmental regulations specific for the product in question **National regulations (United States)**

**Toxic Substance Control Act (TSCA)** 

all ingredients are listed as "ACTIVE"

gas

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and **Toxic Enforcement Act of 1987** 

Proposition 65 List of chemicals **CAS No** Type of the toxicity Name acc. to inventory Remarks formaldehyde 50-00-0 cancer

## Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection -		

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

#### **National inventories**

United States: en Page: 10 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 Replaces version of: 2023-03-20 (REV 3)

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"
AU	AIIC	not all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR

CSCL-ENCS

DSL Domestic Substances List (DSL)

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

**INSQ** National Inventory of Chemical Substances ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory

NZIoC

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS** 

REACH Reg. **REACH** registered substances

TCSI Taiwan Chemical Substance Inventory TSCA **Toxic Substance Control Act** 

#### **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.1	Trade name: Zar® Platinum Pro Clear Caot	Trade name: Zar® Platinum Pro - Clear Coat	yes

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United States: en Page: 11 / 12



acc. to 29 CFR 1910.1200 App D

## Zar® Platinum Pro - Clear Coat

Version number: REV 4.0 Revision: 2023-03-20 (REV 3)

# Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

## End of safety data sheet

United States: en Page: 12 / 12